



ZERO TOLERANCE KNIVES

20
10

CATALOG



ZT0100

The ZT 0100 is built to take it. This fixed-blade military style knife is designed to perform under the harshest field conditions. The blade is CPM 3V tool steel for maximum resistance to breakage and chipping, plus extremely high wear resistance. This premium steel's impact toughness is greater than A2, D2, Cru-Wear, or CMP M4, and approaches the level of S7. 3-D machined G-10 scales provide high mechanical strength, imperviousness to temperature extremes, and excellent insulating properties.

Blade	CPM3V tool steel with Tungsten DLC coating 5.75 in. (14.6 cm), .190 in. thick
Scales	3-D machined G-10 in matte black
Overall	10.5 in. (26.7 cm)
Weight	11.2 oz. (19.6 oz. with sheath)

Includes nylon sheath with MOLLE compatible, multi-carry configuration webbing and universal pouch.



A portion of the proceeds from every sale of this high-quality, duty-ready knife will be donated to the PVA Heritage Fund, which works on behalf of the veterans who have given so much in service to their country.

ZT0121

Strider design. ZT precision manufacturing. The ZT 0121 is a no-nonsense, fixed-blade workhorse with multifunction capabilities. Premium S30V blade steel provides exceptional strength and wear resistance, and both takes and holds an edge well. The full-tang blade is even sturdy enough for prying and punching tasks. The choil features a built-in cord cutter that can rip through everything from 550 cord to wire insulation. Machined G-10 scales provide strength, insulation, and a secure grip.

Blade	S30V stainless steel with Tungsten DLC coating 4.25 in. (10.8 cm), .190 in. thick
Scales	3-D machined G-10 in Ranger Green
Overall	8.0 in. (20.3 cm)
Weight	9.2 oz. (12.6 oz. with sheath)

Cord cutter located on the choil of the blade. Includes Kydex® sheath with MOLLE compatible, multi-carry configuration.



A portion of the proceeds from every sale of this high-quality, duty-ready knife will be donated to the PVA Heritage Fund, which works on behalf of the veterans who have given so much in service to their country.

ZT0150

The right boot knife. Top-of-the-line materials mean top-of-the-line performance. The 0150's S30V blade steel is among the industry's strongest. It will stand up to rough, even abusive tasks. Black Tungsten DLC blade coating further enhances strength and provides a non-reflective surface. Machined G-10 scales are mechanically strong and offer a solid grip in all environmental conditions. The included Kydex® sheath easily straps to the ankle or secures at the small of the back.

Blade	S30V stainless steel with Tungsten DLC coating 3.5 in. (8.9 cm)
Scales	3-D machined G-10 in matte black
Overall	7.5 in. (19.3 cm)
Weight	3.6 oz. (5.0 oz. with sheath)

Includes Kydex® sheath with multi-carry configuration.



ZT0200

Tactical Response says ZT 0200 is best patrol knife.* Field-tested by officers on-the-job, the ZT 0200 was judged the best patrol knife overall. The knife's 154C stainless steel recurve blade offers ideal cutting leverage and precision piercing. Machined G-10 scales provide a secure grip, with or without duty gloves. A pivot-shaft adjustment feature enables the user to adjust for tighter or looser blade deployment. Choose smooth edge or partially serrated (0200st).

* *Tactical Response* magazine, "Patrol Knife Comparison," Jan/Feb, 2008.

Blade	154CM stainless steel with Tungsten DLC coating 4.0 in. (10.2 cm), .156 in. thick
Scales	3-D machined G-10 in matte black 5.25 in. (13.3 cm)
Overall	8.75 in. (22.2 cm)
Lock	Locking liner
Weight	7.8 oz.

Includes a quad mounting system for tip-up, tip-down, left or right handed clip carry.



A portion of the proceeds from every sale of this high-quality, duty-ready knife will be donated to the PVA Heritage Fund, which works on behalf of the veterans who have given so much in service to their country.



ZT0300

A combat folder built for strength and versatility. The 0300 features patented SpeedSafe® assisted opening and a multitask-ready recurve blade. Deploy the blade one-handed with the ambidextrous thumbstud or index finger protrusion. The 0300's larger size makes it easy to handle, even in gloves. S30V stainless steel gives the blade strength and wear resistance; Tungsten DLC coating enhances hardness and reduces friction drag. The sure-grip handles are a combination of 3-D machined G-10 and titanium. Choose smooth edge or partially serrated (0300st).

Blade	S30V stainless steel with Tungsten DLC coating 3.75 in. (9.5 cm), .156 in. thick
Scales	3-D machined G-10 in matte black and Titanium back 5.125 in. (13.0 cm)
Overall	8.625 in. (21.9 cm)
Lock	Titanium frame lock
Weight	8.0 oz.

Includes SpeedSafe® ambidextrous opening system and a quad mounting clip system for tip-up, tip-down, left- or right-handed clip carry.



ZT0301

Tiger-striped, Ranger Green reliability. The ZT 0301 is a top-quality combat knife equipped with patented SpeedSafe® assisted opening. The blade deploys with an ambidextrous thumbstud or index finger protrusion. S30V blade steel provides durability, wear resistance, and corrosion resistance. Tiger-striped Tungsten DLC coating offers a non-reflective camouflaged finish. The G-10-and-titanium handle provides extreme durability and a sure grip. A pivot-shaft adjustment feature enables the user to adjust for tighter or looser blade deployment.

Blade	S30V stainless steel with Tungsten DLC coating and tiger stripes 3.75 in. (9.5 cm), .156 in. thick
Scales	3-D machined G-10 in Ranger Green with Titanium back 5.125 in. (13.0 cm)
Overall	8.625 in. (21.9 cm)
Lock	Titanium frame lock
Weight	8.0 oz.

Includes SpeedSafe® ambidextrous opening system and a quad mounting system for tip-up, tip-down, left- or right-handed clip carry.



A portion of the proceeds from every sale of this high-quality, duty-ready knife will be donated to the PVA Heritage Fund, which works on behalf of the veterans who have given so much in service to their country.

ZT0302

Same reliability in Coyote Brown. ZT's 0302 has all the features and advantages of the 0301, but with Coyote Brown scales. Same SpeedSafe® assisted opening for fast and easy deployment left- or right-handed. Same S30V blade for durability, wear resistance, and corrosion resistance. Same tiger-striped Tungsten DLC coating for a non-reflective camo finish. Only the color of the scales has been changed to protect those in drier, dustier—and generally browner—environments.

Blade	S30V stainless steel with Tungsten DLC coating and tiger stripes 3.75 in. (9.5 cm), .156 in. thick 3-D machined G-10 in Coyote Brown with Titanium back
Scales	5.125 in. (13.0 cm)
Overall	8.625 in. (21.9 cm)
Lock	Titanium frame lock
Weight	8.0 oz.

Includes SpeedSafe® ambidextrous opening system and a quad mounting system for tip-up, tip-down, left- or right-handed clip carry.



ZT0350

Smaller. Lighter. Just as aggressive. ZT's 0350 is 10% smaller and lighter than the 0300, yet it packs a lot of features into that smaller profile. The blade deploys quickly either left- or right-handed with SpeedSafe® assisted opening. Push the thumbstud or pull back on the index finger protrusion and the premium S30V blade moves smoothly into position, ready for use. Textured G-10 scales and a locking liner complete the knife. Choose smooth edge or partially serrated (0350st).

Blade	S30V stainless steel with Tungsten DLC coating 3.25 in. (8.3 cm), .121 in. thick
Scales	Textured G-10 in matte black 4.625 in. (11.7 cm)
Overall	7.75 in. (19.7 cm)
Lock	Locking liner
Weight	5.6 oz.

Includes SpeedSafe® ambidextrous opening system and a quad mounting system for tip-up, tip-down, left- or right-handed clip carry.



ZT0610ST

The automatic choice. The ZT 0610st features the speed of automatic opening and the security of the ZT Push Button Auto Lock. The lock operates with just the push of a button, but has a secondary slider lock that prevents the button from being accidentally depressed and deployed. Match that security with a 154CM stainless steel Tanto blade and lighter weight aircraft aluminum handles and you've got an impressive knife with save-your-life dependability.

Automatic knives are sold only to authorized dealers of Kai USA, Ltd. We must have the dealer's signed Section 18 USC Federal Form on file. The sale of automatic knives is Federally regulated. Always check permissibility within your State or locality as non-Federal personnel may be precluded from ownership or use by State law. All automatic knives shipped by Kai USA, Ltd. will be shipped via couriers such as UPS and FedEx; they cannot be shipped through the US Postal Service.

Blade	154CM stainless steel with Tungsten DLC coating, partially serrated, 3.5 in. (8.9 cm), .156 in. thick
Handle	6061-T6 anodized black aircraft aluminum 5.25 in. (13.3 cm)
Overall	8.75 in. (22.2 cm)
Lock	Push Button Auto Lock
Weight	5.0 oz.

Includes a dual mounting system for tip-up or tip-down right-handed clip carry.



ZT0650ST

Extreme lockdown security. When it's an automatic, safety counts. So the 0650st Auto is equipped with ZT's secure CrossFire Auto Lock. Toss it on a table, snag it on a seatbelt, manhandle it on a duty belt—there's no chance the blade will accidentally deploy. The unique CrossFire lock requires two motions to work. Slide the lock toward the knife's spine, then pull it down toward the butt. Only then will the blade move into position with a satisfying click. With top-of-the-line materials and construction, the 0650st is the right choice for tough jobs.

Automatic knives are sold only to authorized dealers of Kai USA, Ltd. We must have the dealer's signed Section 18 USC Federal Form on file. The sale of automatic knives is Federally regulated. Always check permissibility within your State or locality as non-Federal personnel may be precluded from ownership or use by State law. All automatic knives shipped by Kai USA, Ltd. will be shipped via couriers such as UPS and FedEx; they cannot be shipped through the US Postal Service.

Blade	154CM stainless steel with Tungsten DLC coating, partially serrated, 3.75 in. (9.5 cm), .156 in. thick
Handle	6061-T6 anodized aircraft aluminum 4.875 in. (13.4 cm)
Scales	Textured black G-10 overlays
Overall	8.75 in. (22.2 cm)
Lock	CrossFire with safety
Weight	5.8 oz.

Includes reversible pocket clip for tip-up left- or right-handed carry.



ZT-9

The strongest production knife on the face of the earth.

And that's vital. Because if it comes down to bayonet time, there's no room for compromise. The ZT-9 doesn't. A sturdy S30V stainless steel blade—a full ¼ inch thick—is paired with Ranger Green G-10 scales. The ZT-9 mounts on the M-16/M-4/AR-15 series of rifles. When mounted, a full six inches of blade extends beyond the muzzle—more than today's standard-issue bayonets. Comes complete with sheath for use as a field knife. A Strider-ZT collaboration.

Blade	S30V stainless steel, non-reflective, stonewashed finish, .25 in. thick, 7.5 in. long
Scales	Textured G-10, Ranger Green
Muzzle ring & latch plate	4140 stainless steel, black-oxide coated
Overall	12.5 in. (31.8 cm)
Weight	1 lb. 3.4 oz. or 1 lb. 10 oz. with sheath



ZT0400

Ideal for compact carry. The ZT 0400 is one of the thinner knives in the ZT line, making it a great choice for more-compact carry. SpeedSafe® assisted opening ensures ease of use, while the modified Tanto blade in premium S30V stainless steel provides strength and durability. Aircraft aluminum handles lighten the weight and Trac Tec inserts on the right side of the handle give a solid grip in almost any condition. There are no Trac Tec inserts on the left side, providing for an easier draw and smoother pocket storage. Choose smooth edge or partially serrated (0400st).

Blade	S30V stainless steel with Tungsten DLC coating 3.75 in. (9.5 cm), .156 in. thick
Handle	Black anodized aircraft aluminum with front Trac Tec insert 5.0 in. (12.7 cm)
Overall	8.563 in. (21.8 cm)
Lock	Locking liner
Weight	5.0 oz.

Includes SpeedSafe® Ambidextrous Opening System and a dual mounting system for tip-up or tip-down right-handed clip carry.



JB2-Rescue Tool

A shroud cutter and then some. The JB2 is a simple tool that simply works. Every time. The business end is a 270° cutting notch with a .34-in. entry point. It slices through cord, webbing, belts, bootlaces, and even clothing, if necessary. The non-exposed cutting edge ensures cutting only occurs where and when needed. The JB2 also features a carbide glassbreaker tip, two oxygen tank wrenches, and three box hex wrenches.

Blade	13C26 stainless steel with Tungsten DLC coating .34 in. (.86 cm) entry point with a 270° cutting surface
Tools	02 tank wrench, Carbide glassbreaker tip located at the butt of handle and .375, .438, .5 inch box wrenches
Overall	6.125 in. (15.6 cm)
Weight	2.4 oz. (3.4 oz. with sheath)

Includes nylon sheath.



A portion of the proceeds from every sale of this high-quality, duty-ready knife will be donated to the PVA Heritage Fund, which works on behalf of the veterans who have given so much in service to their country.



ZTGEAR

Serious Knives for Serious Missions. The right gear is right here. Displays, signs, caps, shirts, and a lot of great ways to store a ZT collection. It's all designed to help you in your own serious mission of selling the best military and law enforcement knives available.



ZT Challenge Coin

Model ZTCoin
 Size: 2" at longest length, 1.375" tall
 Plating: Gold
 Decoration: Die struck w/ soft enamel filling
 Finishing: With Epoxy Coating, Both Sides



Knife Storage Bag

Model ZT997
 Double zipper case comes with 18 padded knife pockets and carry straps. Includes one 8-pocket removable center section. Ideal for carrying multiple knives.

Team ZT T-Shirt

Model SHIRTZT1
 100% cotton, machine washable green t-shirt with Team ZT logo. Available in XL only.



Foliage Green Sheath

Model FldsheatHF
 Fits all folding models



Black Sheath

Model FldsheatHB
 Fits all folding models



- Will fit all ZT folding knives
- Ballistic Nylon
- Attach to MOLLE systems or wear on belt
- Will fit all belts up to 2 1/4"
- Velcro flap fastener with quick access tab
- Grommet drain hole
- Also fits most single and double stack magazines
- Available in green or black
- Dimensions: 5.5 in. L X 2 in. W X 1.125 in. D



Zipper Case

Model ZT POUCH
 Fits folding models with a 5.25 in. or less handle. Includes full zipper and sheep skin liner



Baseball Hat

Model HATZT1
 Heavy-duty olive green with dark olive bill and ZT logo

Display Banner

Model BANNER ZT (24 in. x 48 in.)



Display

Model DISPLAYZT1
 Holds a single knife.



P.O.P. Display

Model ZTDISPLAYK2 (2-sides)

- Locking case rests on counter top
- Magnetic and plastic clip systems to securely display knives

Dimensions:

Side 1	18 in. W x 20 in. D x 6 in. H (45.7 cm x 50.8 cm x 15.2 cm)
Side 2	18 in. W x 20 in. D x 6 in. H (45.7 cm x 50.8 cm x 15.2 cm)
Weight	31 lbs.



ZERO TOLERANCE KNIVES

LIABILITY DISCLAIMER Zero Tolerance Knives are intended and sold for legitimate use only. The purchase, use and ownership of knives are subject to a wide variety of local laws and regulations. Certain knife styles, blade designs, and blade lengths are not allowed in specific areas. In light of recent events involving national security, knives may not be permitted in government buildings or on government property (such as court houses, federal offices, national monuments and airports) and government officials may take the position that knives are weapons under applicable laws. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for KAI USA Ltd. to be aware of every restriction in every location in which our knives may be sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not KAI USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

LIMITED LIFETIME WARRANTY Zero Tolerance products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip) and a short explanation of the warranty service requested to the address below. Please allow 4-6 weeks for delivery.

ZT products are made in the USA. We reserve the right to change specifications, materials or discontinue products at any time without notice.



Kai USA Ltd.

18600 SW Teton Ave. Tualatin, OR 97062 • Toll Free: 800.325.2891 • Fax: 503.682.7168 • zerotoleranceknives.com